

HERINK, J.

The concept of social security. Sec revue 8 no.4/5:215-216 '62.

HERINK, Otakar, hutni inzenyr

Effect of the shape and size of bloom sections on the scale formation. Sbornik skol ban 8 no.3:295-312 '62.

HERINK, V.

Foreman and technical-organizational measures. p. 472.
STROJIRENSKA VYROBA, Prague, Vol. 3, no. 11, Nov. 1955.

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 5, No. 6,
June 1956, Uncl.

HECINK, W., and others

"The electric machine industry in People's Poland, its achievements and intentions."
p. 51. (Przegląd Elektrotechniczny, Vol. 30, no. 2, Feb 54, Warszawa)

SO: Monthly List of East European Accessions, Vol 3 No 6 Library of Congress Jun 54 Uncl

HERINK, W.

HERINK, W. Polish Academy of Sciences conference on raw materials in the
field of electric engineering. p. 168

Vol. 10, no.3, May/June 1956

ENERGETYKA

INDUSTRIAL SCIENCE

Warszawa, Poland

So: East European Accession Vol. 4, No. 3, March 1957

ROMANIA/General Problems of Pathology. Tumors

U-4

Abs Jour : Ref Zhur - Biol., No 14, 1958, No 66053

Author : Horisan S., Gorescu I., Marin-Moscovici I.

Inst : -

Title : On a Case of Acute Myeloid Leukemia Treated with Cortisone.

Orig Pub : Med. interna, 1956, B8, No 3 (7), 1078-1083

Abstract : A case of acute myeloid leukemia (age 27) which was treated with large doses of cortisone (100-150 mg. a day) resulting in a brief remission is described. The author believes that not infrequently the weak effect of cortisone in the treatment of acute leukemia can be explained by insufficient dosage of the preparation.

Card : 1/1

EXCERPTA MEDICA Sec 6 Vol 12/5 Internal Med. May 59

2184. AUTO-IMMUNE HAEMOLYTIC ANAEMIA WITH PULMONARY HAEMO-
SIDEROSIS - Anemie hemolitică autoimună cu hemosideroză pulmonară -
Herisan S., Moscovici I., Nicolaescu T., Maxim C. and
Fotino M. - MED. INTERNĂ (București) 1957, 9/12 (1869-1875)
Coombs' reaction was positive. Splenectomy gave unfavourable results, whereas
corticotherapy rapidly led to normalization of the erythrocytic and immunological
pictures with disappearance of the auto-antibodies from the blood (negative Coombs'
test). However, a fresh attack, which occurred when the patient was staying in the
country, was fatal.
(VI, 15)

HERISAN, S.; GORESCU, I.; KLEIN, S.; PANAIT, G.

An atypical case of Gaucher's disease. Rumanian M. Rev. 2 no.2:33-37
Apr-June 58.

(LIPOIDOSIS, case reports
atypical Gaucher's dis.)

HERISAN, S., MD; PARETIANU, D., MD.

Polyclinic of the Mass Organizations (Polichinica
organizatiilor de masa) - (for all)

Bucharest, Viata Medicala, No 3, 1 Feb 64, pp 187-191

"Observations on the Painful Syndrome of the Anterior
Thoracic Wall."

HERISANU, Aurel

Every leu is spent with care. Constr Buc 14 no.649:2 16 Je '62.

1. Contabil sef al Fabricii "CEramica", Jimbolia.

HERK 15

ca

Fertilizer experiments on sodium-carbonate-containing alkali soils. *Opuntia*... *Melospiza*... *Antelope*... 6, 372-46(1963).--*Antelope* grows liberally well on alkali soils. In the soils studied, poor growth of *Antelope* was caused by N deficiency. Fertilization with N fertilizers caused a 300 to 600% increase of *Antelope* harvest. Nitrate N and ammonia N were assimilated most easily; cyanamide N had a harmful effect. Ammonia N had in moist soils almost the same effect as nitrate N. S. S. de Finálv

ASS-51A METALLURGICAL LITERATURE CLASSIFICATION

1964-1970

1971-1975

1976-1980

1981-1985

1986-1990

1991-1995

1996-2000

2001-2005

2006-2010

2011-2015

2016-2020

2021-2025

2026-2030

2031-2035

2036-2040

2041-2045

2046-2050

2051-2055

2056-2060

2061-2065

2066-2070

2071-2075

2076-2080

2081-2085

2086-2090

2091-2095

2096-2100

2101-2105

2106-2110

2111-2115

2116-2120

2121-2125

2126-2130

2131-2135

2136-2140

2141-2145

2146-2150

2151-2155

2156-2160

2161-2165

2166-2170

2171-2175

2176-2180

2181-2185

2186-2190

2191-2195

2196-2200

2201-2205

2206-2210

2211-2215

2216-2220

2221-2225

2226-2230

2231-2235

2236-2240

2241-2245

2246-2250

2251-2255

2256-2260

2261-2265

2266-2270

2271-2275

2276-2280

2281-2285

2286-2290

2291-2295

2296-2300

2301-2305

2306-2310

2311-2315

2316-2320

2321-2325

2326-2330

2331-2335

2336-2340

2341-2345

2346-2350

2351-2355

2356-2360

2361-2365

2366-2370

2371-2375

2376-2380

2381-2385

2386-2390

2391-2395

2396-2400

2401-2405

2406-2410

2411-2415

2416-2420

2421-2425

2426-2430

2431-2435

2436-2440

2441-2445

2446-2450

2451-2455

2456-2460

2461-2465

2466-2470

2471-2475

2476-2480

2481-2485

2486-2490

2491-2495

2496-2500

2501-2505

2506-2510

2511-2515

2516-2520

2521-2525

2526-2530

2531-2535

2536-2540

2541-2545

2546-2550

2551-2555

2556-2560

2561-2565

2566-2570

2571-2575

2576-2580

2581-2585

2586-2590

2591-2595

2596-2600

2601-2605

2606-2610

2611-2615

2616-2620

2621-2625

2626-2630

2631-2635

2636-2640

2641-2645

2646-2650

2651-2655

2656-2660

2661-2665

2666-2670

2671-2675

2676-2680

2681-2685

2686-2690

2691-2695

2696-2700

2701-2705

2706-2710

2711-2715

2716-2720

2721-2725

2726-2730

2731-2735

2736-2740

2741-2745

2746-2750

2751-2755

2756-2760

2761-2765

2766-2770

2771-2775

2776-2780

2781-2785

2786-2790

2791-2795

2796-2800

2801-2805

2806-2810

2811-2815

2816-2820

2821-2825

2826-2830

2831-2835

2836-2840

2841-2845

2846-2850

2851-2855

2856-2860

2861-2865

2866-2870

2871-2875

2876-2880

2881-2885

2886-2890

2891-2895

2896-2900

2901-2905

2906-2910

2911-2915

2916-2920

2921-2925

2926-2930

2931-2935

2936-2940

2941-2945

2946-2950

2951-2955

2956-2960

2961-2965

2966-2970

2971-2975

2976-2980

2981-2985

2986-2990

2991-2995

2996-3000

3001-3005

3006-3010

3011-3015

3016-3020

3021-3025

3026-3030

3031-3035

3036-3040

3041-3045

3046-3050

3051-3055

3056-3060

3061-3065

3066-3070

3071-3075

3076-3080

3081-3085

3086-3090

3091-3095

3096-3100

3101-3105

3106-3110

3111-3115

3116-3120

3121-3125

3126-3130

3131-3135

3136-3140

3141-3145

3146-3150

3151-3155

3156-3160

3161-3165

3166-3170

3171-3175

3176-3180

3181-3185

3186-3190

3191-3195

3196-3200

3201-3205

3206-3210

3211-3215

3216-3220

3221-3225

3226-3230

3231-3235

3236-3240

3241-3245

3246-3250

3251-3255

3256-3260

3261-3265

3266-3270

3271-3275

3276-3280

3281-3285

3286-3290

3291-3295

3296-3300

3301-3305

3306-3310

3311-3315

3316-3320

3321-3325

3326-3330

3331-3335

3336-3340

3341-3345

3346-3350

3351-3355

3356-3360

3361-3365

3366-3370

3371-3375

3376-3380

3381-3385

3386-3390

3391-3395

3396-3400

3401-3405

3406-3410

3411-3415

3416-3420

3421-3425

3426-3430

3431-3435

3436-3440

3441-3445

3446-3450

3451-3455

3456-3460

3461-3465

3466-3470

3471-3475

3476-3480

3481-3485

3486-3490

3491-3495

3496-3500

3501-3505

3506-3510

3511-3515

3516-3520

3521-3525

3526-3530

3531-3535

3536-3540

3541-3545

3546-3550

3551-3555

3556-3560

3561-3565

3566-3570

3571-3575

3576-3580

3581-3585

3586-3590

3591-3595

3596-3600

3601-3605

3606-3610

3611-3615

3616-3620

3621-3625

3626-3630

3631-3635

3636-3640

3641-3645

3646-3650

3651-3655

3656-3660

3661-3665

3666-3670

3671-3675

3676-3680

3681-3685

3686-3690

3691-3695

3696-3700

3701-3705

3706-3710

3711-3715

3716-3720

3721-3725

3726-3730

3731-3735

3736-3740

3741-3745

3746-3750

3751-3755

3756-3760

3761-3765

3766-3770

3771-3775

3776-3780

3781-3785

3786-3790

3791-3795

3796-3800

3801-3805

3806-3810

3811-3815

3816-3820

3821-3825

3826-3830

3831-3835

3836-3840

3841-3845

3846-3850

3851-3855

3856-3860

3861-3865

3866-3870

3871-3875

3876-3880

3881-3885

3886-3890

3891-3895

3896-3900

3901-3905

3906-3910

3911-3915

3916-3920

3921-3925

3926-3930

3931-3935

3936-3940

3941-3945

3946-3950

3951-3955

3956-3960

3961-3965

3966-3970

3971-3975

3976-3980

3981-3985

3986-3990

3991-3995

3996-4000

CA

H = K⁺, ...

18-

Reclamation of alkali soils containing sodium carbonate.
 Sándor Hetke, *Agrobiológia* 1, No. 5-6, 3-17(1949). Investigation of various Hungarian alkali soils contg. Na_2CO_3 showed that alk. (detd. in the presence of phenolphthalein) is caused in most cases not by Na_2CO_3 but by adsorbed Na ions, which, when hydrolyzed form NaOH. If a Na soil is treated with water, a part of the Na ions is sepd. from the adsorption complex and can be removed by removing the water. Repeating this treatment is a suitable method for removing the Na of the adsorption complex. The same processes take place when neutral, acid, or strongly alk. soils are treated with water. If the soils also contain CaCO_3 , the water treatment improves the phys. properties of soils, since Na is exchanged by Ca, especially when the water contains CO_2 . The agents used for reclaiming strongly alk. (so-called lime-soda) soils must not be essentially acid substances. Generally such compds. which exchange the Na ions of the adsorption complex by a cation which cannot be sepd. easily and is not hydrolyzable with

water, such as salts of Fe, Al, or Cu, elementary S, or salts of K, even when the K salts do not react directly with Na_2CO_3 , are suitable. When soda soils are reclaimed with such agents it is practical to leach with water first to reduce the amt. of chemicals required for reclamation. An excess of Ca salts is useful, since it inhibits the reversible process of ion exchange, i.e. by a predominance of Ca ions in the soil water. Besides by leaching with water this effect can be accomplished by the use of org. manure, periodic addn. of agents reducing alk., etc. In exptl. plots reclaimed 20-2 years ago, the pH value of surface layers was 8.4-8.5 in 1948, if these layers had no pH values exceeding 8.2 for a period of 6-8 years. The regular cultivation of reclaimed soda soils is essential to secure lasting improvement. Another method for easier removal of harmful salts without irrigating is to treat deeper horizons with reclaiming agents. Calcined lime seems to be suitable for reclaiming, but further expts. are needed to state details. Three tables and 4 figures give exptl. data in detail. István Fényi

HERKE, S.

"Increasing the Output of Sodid Soil Grass and Pasture Lands" p. 329
(Agrartudomány, Vol. 5, No. 11, November, 1953, Budapest)

East European Vol. 3. No. 3
SO: Monthly List of ~~Accessions~~ Accessions / Library of Congress, March ¹⁹⁵⁴ ~~1953~~, Uncl.

HERKE, S.

Improving and utilizing the sodic soils in the Danube valley. p. 307.
(KOZLEME NYEI. Vol. 11, no. 1/h, 1957, Budapest, Hungary)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, no. 12, Dec. 1957.
Uncl.

HERKE, S.

Role of hydrological conditions in the formation of alkali soils and in the change of their properties in the region between the Danube and the Tisza rivers. Agrokem talajtan 13 Suppl.:157-164. My '64.

1. Institute for Agricultural Experiments in the Southern Part of the Great Hungarian Plain, Szeged.

HERKE, Sandor

Role of drainage in the change of the characteristics of alkali
soils in the region between the Danube and the Tisza Rivers.
Hidrologiai közlony 44 no.1:14-20 Ja'64.

1. Délalföldi Mezőgazdasági Kísérleti Intézet, Szeged.

HERKEL, S.

BRATISLAVA
CSSR

no academic degree indicated

obstetrical-gynecological clinic, medical faculty, P.J. Safarik University
(porodnicko-gynekologicka klinika lek. fak. Univ. P.J. Safarika), Kosice,
director: prof. T. SCHWARZ, MD

Brattislava, Bratislavske lekarske listy, No 11-12, 1962, pp 669-672

"Contribution to the Conservative Treatment of an Occlusion of the Oviducts"

Co-author:

SEDLIAK, M. same as above

KAZAR, A.; HERKEL, S.

'Effect of artificial interruption of pregnancy on the cervical tonus.
Cesk. gynek. 27/41 no.8:567-569 '62.

1. Gyn.-por. klin. Lek. fak. UPJS v Kosiciach, prednosta prof. dr.
T. Schwarz.

| | |
|------------------------|------------------------------|
| (ABORTION THERAPEUTIC) | (CERVIX UTERI) |
| (ATROPINE) | (EPHEDRINE) (CHLORPROMAZINE) |

HERKEL, S.; SEDLIAK, M.

Contribution to conservative treatment of occlusion of the fallopian tubes. Bratisl. lek. listy 42 no.11/12:699-672 '62.

1. Z Porodnicko-gynekologickej kliniky Lek. fak. Univ. P.J. Safarika
v Kosiciach, prednosta prof. MUDr. T. Schwarz.
(FALLOPIAN TUBES) (HYALURONIDASE) (STREPTOMYCIN)
(HYSTEROSALPINGOGRAPHY)

ACC NR: AP6033250

SOURCE CODE: CZ/0043/66/000/002/0115/0123

AUTHOR: Konigstein, Jozef--Kenigshtayn, Y. (Graduate chemist; Bratislava);
Stankoviansky, Samo--Stankovianski, S. (Professor; Engineer; Bratislava);
Herkelova, Maria--Gerkeleva, M. (Graduate chemist; Bratislava)

ORG: [Konigstein; Herkelova] Institute of Chemistry, SAV, Bratislava (Chemicky
ustav SAV); [Stankoviansky] Department of Analytical Chemistry, Faculty of Natural
Sciences, Comenius University, Bratislava (Katedra analytickej chemie Prirodovedeckej
fakulty Univerzity Komenskeho)

TITLE: Polarographic study of the formation of mercuric ion complexes with the meso-
and racemic forms of 2,3-diaminobutane

SOURCE: Chemicke zvesti, no. 2, 1966, 115-123

TOPIC TAGS: polarographic analysis, organomercury compound, chemical stability, amine

ABSTRACT: The authors derived theoretical equations for the calculation of the complexity constant of the complexes that the mercuric ion forms with substances of the complexon type, where the ratio of the mercuric ion to the ligand is 1:2. The dissociation constants for the amines were determined experimentally by potentiometric methods. When the stability of the amine complexes is compared to that of complexes formed with tetraacetic acid, it is found that the meso-form gives a more stable amine complex, while the racemic form gives a more stable tetraacetic acid complex. Structural formulas of the complexes are suggested.

Orig. art. has: 4 figures, 9 formulas and 1 table. [JPRS: 36,002]

SUB CODE: 07 / SUBM DATE: 05Oct65 / ORIG REF: 009

Card 1/1 blg

0760 10 30

HERLE, J., inz.

Consumption of drinking water. Vodni hosp 15 no.3:116-117
'65.

1. Hydroprojekt, Prague.

HERLE, J., inz.

New standards for phenol waste waters. Paliva 43 no. 10: 325-326

0'63.

CZECHOSLOVAKIA

J. JEDLIČKA and P. NESVADBA, Cardiology Laboratory of Second Internal Medicine Clinic of Faculty of General Medicine of Charles University (Kardiologická laborator při II interní klinice fakulty všeobecného lékařství KU [Karlova University]) Head (prednosta) prof. Dr. Fr. HERLES, DrSc; and Polyclinic of the Okres Institute of National Health (Poliklinika OUNZ [Okresní ústav národního zdraví],) Chief (reditel) J. ROTMAN, MD, Prague.

"Clinical Diagnosis of Ebstein's Anomaly."

Prague, Časopis Lékařů Českých, Vol 102, No 8, 22 Feb 63; pp 209-213.

Abstract [English summary modified]: Detailed description of case of woman of 41, studied by authors for 15 years; cyanosis rather than dyspnea was main symptom; she had been cyanotic from birth. Despite 2 normal births and mild tendency to obesity, she was well compensated and essentially well. Comprehensive cardiologic work-up with discussion of differential diagnosis with tetralogy of Fallot and other congenital cardiac malformations. Nine graphs, 3 krentgenograms, 1 Soviet, 1 Czech and 45 Western references.

1/1

KOREC, R.; HERKELOVA, L.

The mechanism of hypoglycemic action of indole-3-acetic acid and of sulfanilyl carbamide (invenol). Cesk. fysiол. 7 no.3:266-267 May 58.

1. Ustav pre vseob. a exper. patologia Lekarskej fakulty Univerzity Komenskeho v Kosiciach.

(ANTIDIABETICS, eff.

carbutamide, with indole-3-acetic acid (Cz).

(INDOLACETIC ACID, eff.

hypoglycemic, with carbutamide (Cz))

(BLOOD SUGAR, eff. of drugs on,

indolacetic acid alone & with carbutamide (Cz))

KOREC, R.; HERKELOVA, L.

~~Lesions~~ of alpha-cells of the islands of langerhans and hypoglycemic effect of indole-3-acetic acid and sulfanilylbutylcarbamide. Cesk. fysiол. 7 no.5: 492-493 Sept 58.

1. Ustav pre vseobecnu a experimentalnu patologiu Lek. fak. UK, Kosice.

(IDOLACETIC ACID, effects,

islands of langerhans alpha-cell destruction & hypoglycemic
eff. in animals (Cz))

(CARBUTAMIDE, effects,

same)

(ISLANDS OF LANGERHANS, eff. of drugs on,

carbutamide & indolacetic acid, destruction of alpha-cells in
animals (Cz))

HERKELOVA, L.

Effect of epinephrectomy on the appearance of phenylbutazone gastric ulcer in rats. Cesk. fysiол. 9 no.4:379-380 J1 '60.

1. Ustav pre vseobecnu a experimentalnu patologiu Lek. fak.
UPJS, Kosice.

(ADRENALLECTOMY exper.)

(PEPTIC ULCER exper.)

(PHENYLBUTAZONE pharmacol.)

L 1374-66 EWT(m)/EWP(t)/EWP(b) IJP(c) JD/JG

ACCESSION NR: AP5024532

CZ/0043/64/000/010/0745/0749

AUTHOR: Plsko, E. (Plshko, E.) (Engineer, Candidate of sciences) (Bratislava);
Herkelova, M. (Gerkelova, M.) (Graduate chemist) (Bratislava)

TITLE: Spectrochemical determination of chromium in silicates by means of the vibrating electrode

SOURCE: Chemické zvesti, no. 10, 1964, 745-749

TOPIC TAGS: spectrographic analysis, analytic chemistry, chromium, silicate, electrode

ABSTRACT: Described is a quick and accurate method of spectrographic determination of small amounts of chromium in silicates by using a vibrating electrode. Samples to be investigated were mixed with CoO and Li_2CO_3 at a ratio of 2:1:3. Spectral lines of Cr and lines of the inner standard ^{60}Co of Co make it possible to determine chromium within the range of 0.001 and 0.5 percent with a relative error of ± 5.6 percent at a concentration of 0.01 Cr. Original has 2 graphs.

ASSOCIATION: Ústav anorganické chémie Slovenskej akadémie vied, Bratislava
(Inorganic Chemistry Institute, Slovak Academy of Sciences)

Card 1/2

L 1374-66

ACCESSION NR: AP5024532

SUBMITTED: 18Jun64

ENCL: 00

SUB CODE: IC, 00

NR REF SOV: 001

OTHER: 014

JPRS

dg
Card 2/2

HERLS, J.

"Regeneration of drilled wells. ; Directions on the design of purification plants for neutralizing waste water from the surface treatment of metals. (Supplement)"

p. 1 (Voda) Vol. 36, no. 11, Nov. 1957
Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

HERLE, J.

Water-supply connections. p. 253.

VODNI HOSPODARSTVI. (Ministerstvo energetiky a vodniho hospodarstvi
a Vedecka technicka spolecnost pro vidni hospodarstvi) Praha,
Czechoslovakia, No. 6, June 1959.

Monthly List of East European Accession (EEAI), LC Vol. 9, no. 2,
Feb. 1960.

Uncl.

HERLE, Jaromir, inz.

Tests of gastightness of septic tanks according to Branch
Standard 73 6705. Vodni hosp 14 no.11:3 of cover '64.

HERLE, J.

Drinking water reclaimed from waste water. p. 497.

VODNÍ HOSPODÁŘSTVÍ. (Ministerstvo energetiky a vodního hospodářství a
Vedecká technická společnost pro vodní hospodářství) Praha, Czechoslovakia,
No. 11, Nov. 1959

Monthly List of East European Accession (EEAI), LC Vol. 9, no. 2,
Feb. 1960.

Uncl.

FINTESCU, Dan, ing. (Bucuresti); ZARONI, Romulus, ing. (Bucuresti);
SERBANESCU, Bianca, ing. (Bucuresti); HERLEA, Apolador, ing.
(Bucuresti); LAPEDATU, Elena, ing. (Bucuresti)

Electric equipment for electrofilters. Electrotehnica 11 no.9:
333-343 S'63.

1. Sef al laboratorului de actionari electrice al Institutului de
cercetari electrotehnice (for Fintescu). 2. Cercetator principal
la laboratorul de actionari electrice al Institutului de cercetari
electrotehnice (for Zaroni). 3. Cercetator la laboratorul de
actionari electrice al Institutului de cercetari electrotehnice
(for Serbanescu, Herlea, Lapedatu).

GURAN, V. I. in.; HERNAN, L. I. in.

Mechanization of the finishing work. Rev. constr si mat constr
16 no.5:268-270 My'64

NESTORESCU, Emilia, lector univ.; HERLEA, Viorica, preparator

Antibiotics in the life of plants. St si Teh Buc 16 no.9:44-45
S '64

HERLES, A.; JAROSOVA, V.

Myocardial pictures of the electrocardiogram and the nervous regulation of circulation. Cas. lek. cesk. 94 no.5:101-107 28 Jan 55.

1. Z II. interni kliniky v Praze

(ELECTROCARDIOGRAPHY

myocardial pattern, nervous control of blood circulation)

(BLOOD CIRCULATION, physiology

nervous regulation, ECG of myocardial pattern)

HERLES, Cestmir

Purification of waste water in food industry. Tech praca 14 no.2:
131-132 F '62.

1. Úrad pro patenty a vynálezy, Praha.

HERLES, Cestmir

Use of new rings increases the production of cotton mills. Tech
praca 14 no.8:622-623 Ag '62.

1. Urad pro patenty a vynalezky, Praha.

HERLES, E., prof.

Discussion contribution to the problem of undergraduate teaching
in internal medicine. Witni lek. 11 no.2:187-190 P '65

| 1ST AND 2ND ORDERS | | PROCESSING AND PROPORTION INDEX | | 3RD AND 4TH ORDERS | |
|---|--|---------------------------------|--|--------------------|--|
| <p>BC</p> <p style="text-align: right;">P-11-2</p> <p style="text-align: center;"> Determination of the sugar content of carbon- ization oxides. V. HANSEN; also J. HANSEN (Z. Elektrolyt. Chem., 1968, 64, 289).—Folentov (ed. Kadm, B., 1968, 29). </p> | | | | | |
| <p>AD-11A METALLURGICAL LITERATURE CLASSIFICATION</p> | | | | | |
| FROM DIVISION | | TO DIVISION | | TO DIVISION | |
| 107000 00 | | 107000 00 000 000 | | 001000 000 000 000 | |

| 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 | |
|--|------------------|
| <p>PC</p> <p>Accurate and rapid determination of sugar in beet slices by means of fine pulp obtained by the Martin press. F. HANSEN (Z. Zuckerind. Czechoslov., 1930, 55, 31-32).—Recent improvements in the use of the Martin press avoid errors due to evaporation of moisture from the pulp. Only sufficient of the well-mixed sample of canebeets is pressed to provide enough pulp for analysis, so that the pressing occupies but a few minutes; also the receptacle for the pulp fits in the outlet of the press to avoid evaporation. In the analysis of beets a portion of the well-mixed sample obtained by known rasping machines is passed through the press to provide fine pulp suitable for instantaneous cold aqueous digestion. J. H. LANE.</p> | |
| <p>ADD-51A METALLURGICAL LITERATURE CLASSIFICATION</p> | |
| <p>107000 02</p> | <p>107000 02</p> |

| ITEM NO. | | | | | | | | | | PROPERTIES AND PROPERTIES INDEX | | | | | | | | | | ITEM NO. | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|---------------------------------|--|--|--|--|--|--|--|--|--|----------|--|--|--|--|--|--|--|--|--|
| BC | | | | | | | | | | | | | | | | | | | | B-III-2 | | | | | | | | | |
| <p>Determination of the purity quotient of beet juice. F. HRAJES (Z. Zuckerind. Caschodov., 1930, 55, 139-141).—Determination of the purity of the juice as ordinarily expressed from the beet gives unreliable results, which vary according to the subdivision of the material and to the pressure used; reliable results are obtainable when a press, such as the Harkis, capable of effecting an extremely fine subdivision of the pulp, is used. 52 G. of pulp thus obtained are shaken with 156.4 c.c. of cold water and at once filtered, the density of the filtrate being determined by hydrometer or refractometrically. Then 100 c.c. are mixed with 10 c.c. of basic lead acetate, and the mixture is filtered and polarized. This reading referred to the Schmitt's table enables the purity quotient to be calculated; the same reading increased by $\frac{1}{10}$th gives the sugar content of the root.</p> <p style="text-align: right;">J. P. OGILVIE.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>ASAC-SLA METALLURGICAL LITERATURE CLASSIFICATION</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>REGION: SYR-23249</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>SECTIONS: 1</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>SYNOPSIS: 1-19 ONLY ONE</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>STABILITY: 1</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>REGION: SYR-23249</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>SECTIONS: 1</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>SYNOPSIS: 1-19 ONLY ONE</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>STABILITY: 1</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| 1ST AND 2ND METERS | | 3RD AND 4TH METERS | |
|--|--|---|--|
| HERLE, R. | | PROCESSING AND PROPERTY INDEX | |
| BC | | B-III-2 | |
| <p>Report of the 5th International Congress on Uniform Methods of Sugar Analysis. P. HANSEN, V. SARAVANT, K. SARAVANT, and J. VANDERLINDEN. Carlsberg, 1953, 57, 25-34. It was recommended that the principal inversion methods for the determination of sucrose used in different countries should be compared, and the effect of ash on the Clusius device be studied. All polarimetric readings should be made at 20° to avoid temp. corrections altogether. Preference is given to the conductometric rather than the gravimetric method of determining ash, and whether a</p> | | <p>column of 5 or 20 g. per 100 c.c. be used is optional, but the determination should be made at 20°. In the case of test products with < 1.0% of ash, the conductometric determination is to be carried out without acid; but for the corresponding cane products the acid titration method should be applied. For the determination of reducing sugars 50 of the principal methods are to be compared. If defecation is applied prior to the determination of the reducing sugars, normal Pb(OAc)₂ should be used, and an excess afterwards eliminated by Na phosphate or K₂C₂O₄. Direct titration of SO₂ is pronounced satisfactory for routine sorting out, but where it gives higher results than the permissible limit the distillation method in CO₂ into H₂O₂, Br, or I, followed by the gravimetric pptn. of the SO₂, should be applied. It was recommended that further studies be made of the 160° point of the saccharimeter, of the error due to the vol. of the Pb ppt. in polarizing raw sugars, of colorimetry as used in the sugar industry, and of the determination of raffinose.</p> | |
| A50-35A METALLURGICAL LITERATURE CLASSIFICATION | | 67-111, 1277 | |
| FROM STUDYING | | FROM STUDYING | |
| 127000 72 | | 127000 72 | |

12

CO

PROCESS AND PROPERTIES INDEX

A rapid polarimetric method for determining the starch in cocoa, chocolate and other starch-containing products. *YANAGI, H. J. J. Food Sci. 31, 275 (1961).*

Without removing the fat, place 8.81 or 4.41 g. of ground chocolate or powder cocoa in a 250 cc. Erlenmeyer flask, moisten with H_2O or preferably $MeOH$, mix with 100 cc. H_2O and shake occasionally to dissolve completely all sol. sugars. Add basic Pb acetate (1 cc.), mix, allow to settle and pour upon a 13 cm. starch free filter paper. Wash the sediment with H_2O until free from sugar and with $MeOH$ until free from H_2O and dry at 60°-85°. Mix the contents of the filter paper with 20 cc. H_2O , treat with 30 cc. HCl , sp. gr. 1.198, and allow to stand 1 hr. at 20° with occasional shaking. Add H_2O (50 cc.), shake the mixt. and filter into a 200 mm. tube and read in a polarimeter. The vol. of the dissolved starch is $(8.81 \times \text{the polarimeter reading}) + (14 \times 100)$. The detn. can be carried out at temps. other than 20°, but the polarimeter reading must be taken at the temp. at which the digestion was carried out.

FRANK SHAW

450.114 METALLURGICAL LITERATURE CLASSIFICATION

12

THE POLARIMETRIC DETERMINATION OF SUGAR IN CHOCOLATE, COCOA POWDERS AND OTHER SUBSTANCES CONTAINING WATER-INSOLUBLE CONSTITUENTS. FRANK MARSH. *LISTY (Lubrovsk. 51, 282; Z. Zuckerind. Czechoslovak. Rep. 57, 256(1953).*—Weigh 2 samples of 13 g. each of pulverized cocoa or chocolate into a 100-cc. glass vessel. Add 13 g. of purified sucrose. Moisten both samples with MeOH, mix with hot H₂O, shake until all sugar is dissolved, treat with 4 cc. basic Pb acetate and allow to cool. Make up the mixt. to 100 cc., shake well and filter. Polarize the filtrate in 200 mm. tubes. The correct polarization will be $(49.9 \times P_1) / (P_1 - P_2)$, where 49.9 is the polarization of 13 g. sucrose, P_1 of 13 g. powd. chocolate, and P_2 of 13 g. of powd. chocolate + 13 g. sucrose; the above reading multiplied by 2 will give the percentage of sugar in the sample. The correction considers that the sucrose is not dissolved in 100 cc. but in a vol. decreased by the water-insol. substances and sediments formed during clarification.

FRANK MARSH

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

78

THEK-E

1st AND 2nd ORDERS PRELIMINARY AND PROPERTIES INDEX

127. 8; 2. *Zuckerind. Fachwissen. Rep. 61, 94-5(1960).*

Using 3 brands of infusorial earth from Hannover on 10 different heavy liquors from factories, H. finds the earth superior to the charcoal norite or carbonaffin in clarifying ability. He used 0.5-1.0 kg. of the earth per 1000 l. of liquor at 80° or 0.25 kg. per sq. m. of filtering surface; the layer of earth was 2 mm. thick. The best results occurred when the earth was used in conjunction with animal charcoals.

Frank March

ASD-SLA METALLURGICAL LITERATURE CLASSIFICATION

127. 8; 2. *Zuckerind. Fachwissen. Rep. 61, 94-5(1960).*

| 1ST AND 2ND DEGREE | | PROCESSES AND PROPERTIES INDEX | |
|---|--|---|--|
| H E E E | | B-III-2 | |
| BC | | <p>Determination of starch in starch, flour, wheat, and bread by the polarimetric method. V. Kuznetsov (Chem. Listy, 1956, 28, 281-282).--The starch is dissolved in 50 c.c. of 95% EtOH (1 hr.; 50°), the solution diluted to 100 c.c., and the starch determined polarimetrically, applying corrections for the vol. occupied by the starch, and for presence of other optically active substances. R. T.</p> | |
| ASD-SLA METALLURGICAL LITERATURE CLASSIFICATION | | RESEARCH, 1957 | |
| SOURCE: 1957 | | SOURCE: 1957 | |
| 1957 | | 1957 | |

The determination of the quantity of starch in flours, grains, doughs and other substances by the polarization method. *Frant. Haxine. Lasty Cahour. 56, 312-3 (1936); Z. Zacherind. Czechoslovak Rep. 60, 298-9. (1936);* Place 8.81 g. of starch in a 100-cc. volumetric flask, add 20 cc. of H₂O, mix the starch and water thoroughly and (while shaking the flask) add 30 cc. HCl, sp. gr. 1.184. After allowing the mixt. to stand for 1 hr., make it up to vol. at 20° with H₂O or with 0.5% phosphotungstic acid. The shake well, filter and polarize in a 200-mm. tube. The reading gives the percentage of starch. For flours, the pptd. proteins give an effective vol. of 103.87 cc. instead of the measured 100 cc. Grains have to be ground and then treated similarly to starch. The detn. has to be controlled with a blank; 8.81 g. of the ground grain is dissolved in H₂O (100 cc.), allowed to stand for 1 hr., filtered and polarized. The difference between the polarization readings gives the true starch content. Doughs must be analyzed for their moisture content, then dried, ground and treated as grain. *Frank Maresh*

HERLES, F.

Functional changes of T wave in electrocardiogram. Polski tygod. lek.
7 no. 27-28:877-880 14 July 1952. (CML 23:5)

1. Professor, M. D. 2. Prague.

HERLES, P.; JARSOVA, V.

Hazards and indications for pelentan therapy of myocardial infarction. Cas.lek.cesk. 91 no.48:1423-1427 28 Nov 52.

1. Z II. interni kliniky Karlovy university. Prednosta prof. Dr. A.Vencura.

(MYOCARDIAL INFARCT, therapy,

ethyl biscouacetate, hazards & indic.)

(COUMARIN, derivatives,

ethyl biscouacetate, ther. of myocardial infarct, hazards & indic.)

HERLES, F., dr., professor.

On the late professor Vancura. Cas. lek. cesk. 95 no.13:337-341
30 Mar 56

(BIOGRAPHIES
Vancura)

HERLES, Frantisek, Prof., Dr.

Collection of papers honoring the 70th anniversary of birth of
B. Prusik. Cas. lek. cesk. 95 no.25-26:661-664 29 June 56.

(BIOGRAPHIES,
Prusik, Bohumil (Cz))

100-100000

1. Heart in female embryo. (See page 100-100000)

1. Heart in female embryo. (See page 100-100000)

HERLES, F., Prof., MUDr.

Ambulatory treatment of heart disease. Cesk. zdravot. 5 no.2:
83-87 Feb 57.

1. Prednosta II. interni kliniky LF KU v Praze.
(HEART DISEASE, ther.
ambulatory management (Cz))

HERLES, F.

An internist looks at cardiac surgery. Cas. lek. cesk. 96 no.27-28:
866-870 5 July 57.

1. II interni klinika KU v Praze, prednosta prof. Dr. F. Herles.
(HEART, surg.
from internist's viewpoint (Cz))

HERLES, F

EXCERPTA MEDICA Sec.18 Vol.2/4 Cardiovascular Dis.Apr58

1043. *Abnormalities of electrolyte distribution in the myocardium with myocardial infarcts and coronary changes in the ECG* Rozložení elektrolytů v srdečním svalu při infarktu myokardu a koronární změny elektrokardiogramu. HERLES F. and DAUM S. II. Intern. Klin., Karlovy Univ., Praha Cas. Lék. čes. 1957, 96/33-34 (1050—1060) Graphs 6 Tables 6

Electrolyte ratios were followed in 13 cases of myocardial infarct. Samples were analysed from the centre and the edges of the infarct, and from apparently normal myocardium in the left ventricle. K content in chronic infarcts was decreased in the centre of the lesion; the content of water, Na and Cl showed a slight increase. In subacute infarcts K content fell gradually from the edge to the centre of the lesion in both absolute and intracellular quantities, while extracellular content of K increased as the centre was approached. Na, Cl and water changed in a similar direction. In fresh infarcts (3 cases) a markedly raised K content was found in the transition zone. Other levels were as in subacute infarct. A high K content in the extracellular fluid with a marked fall in the K quotient is considered in relation to the appearance of the monophasic deformation of the ECG in the early stages of infarct, and with T wave changes. The determination of electrolyte content in various regions of the left ventricle may be of great value in cases where ischaemic changes of the myocardium cannot be detected anatomically, but may affect the ECG, lead to cardiac failure, or sudden death.

Černohorský - Olomouc (XVIII, 6*)

HERLES, F. (Praha 2, Unemocnice 2.)

The clinic of Academician Pelnar. Cas. lek. cesk. 96 no.51:1563-1564
20 Dec 57.

(BIOGRAPHIES

Pelnar, Josef (Cz))

HERLES, F.; ROSOL, Zd.

Electrocardiogram in non-specific myocarditis. Cas. lek. cesk. 96 no.51:
1577-1582 20 Dec 57.

1. II. interni klinika fakulty vseobecneho lekarstvi KU v Praze, prednosta
prof. Dr F. Herles.

(MYOCARDITIS, differ. diag.

non-specific myocarditis, ECG (Cz))

(ELECTROCARDIOGRAPHY, in various dis.

myocarditis, non-specific, value in differ. diag. (Cz))

EXPERIMENTAL MEDICA Sec 6 Vol 13/2 Internal Med. Aug 59

4374. PULMONARY TUBERCULOSIS IN THE DEVELOPMENT OF COR PUL-
MONALE - Lungentuberkulose in der Pathogenese des Cor pulmonale -
Herles F. and Widimský J. II. Int. Klin. Med. Fak., Karls-Univ.,
Prag - Z. GES. INN. MED. 1958, 13/12 (423-427) Graphs 3 Tables 1

By means of statistical methods in 2 large clinics in Prague the authors are able to prove that decompensated cor pulmonale has markedly increased as a cause of death in pulmonary tb in spite of the decreasing total mortality rate of tb. This is probably caused by the increasing incidence of chronic tb resulting from modern tuberculostatic therapy. In case of operations, acute cardiac failure is more frequent than in non-operated patients; chronic decompensation of cor pulmonale, however, shows no significant difference between these 2 groups. The pathological physiology of cor pulmonale is discussed with special reference to the importance of hypertension in the pulmonary circulation when surgical procedures are considered. Possibilities of preventing cor pulmonale in pulmonary tb are mentioned.

Greggersen - Krummsee Ab./Malente/Holst. (XV, 6, 18)

HERLES, F.; OUREDNIK, A.

Tuberculosis at an internal clinic and possibilities for its
diagnosis. (Clinical considerations and anatomical findings).
Cas.lek.cesk. 98 no. 49/50:1544-1549 4 D '59.

1. II. interni klinika fakulty vseobecneho lekarstvi KU v Praze,
prednosta prof. dr. Frantisek Herles.
(TUBERCULOSIS pathol.)

HERLES, F.; JEDLIČKA, J.; Technická spolupráce: Karel Marčan a Alena Beránková.

Ventricular gradient in physiological conditions. Cas. lek. cesk.
99 no.16:488-490 15 Ap '60.

1. II. interní klinika fakulty všeobecného lékařství KU v Praze,
kardiovaskulární laborator, přednosta prof. MUDr. F. Herles.
(VECTOCARDIOGRAPHY)

HERLES, Fr.

Clinico-pathological problems of ischemic heart diseases. Acta univ. carol. [med.] Suppl. 14:441-446 '61.

1. II. interni klinika fakulty vseobecneho lekarstvi University Karlovy v Praze, prednosta prof. dr. F. Herles.
(CORONARY DISEASES)

HERLES, F.; DAUM, S.; JAROSOVA, V.; VALENTOVA, V1.; OUREDNIK, A.

Principles in the diagnosis of cor pulmonale in chronic pulmonary emphysema. Sborn. lek. 63 no.5/6:151-157 1961.

1. II. interní klinika fakulty všeobecného lékařství University
Karlovy v Praze, přednosta prof. dr.F. Herles.
(PULMONARY HEART DISEASE diag) (PULMONARY EMPHYSEMA diag)

HERLES, F.; OUREDNIK, A.; NAXERA, F.

1st experiences with tracheostomy in severe respiratory insufficiency.
Cas.lek.cesk 100 no.32/33:1014-1016 18 Ag '61.

1. II.interni klinika KU v Praze, prednosta prof. dr. Frantisek
Herles. ORL klinika KU v Praze, prednosta prof. dr. Karel Sedlacek.

(TRACHEA surgery) (RESPIRATION)

DAUM, S.; HERLES, Fr.; JAROSOVA, V.; VALENTOVA, Vl.; OUREDNIK, A.

Chronic cor pulmonale. Diagnostic contribution of clinical symptoms of chronic cor pulmonale and emphysema of the lungs. Cas. Lek. Cesk. 101 no.8:225-234 23 F '62.

1. Kardiologicka laborator a II interni klinika KU v Praze, prednosta prof. dr. Fr. Herles II chirurgicka klinika KU v Praze, prednosta prof. dr. J. Lhotka.

(PULMONARY HEART DISEASE diag)
(PULMONARY EMPHYSEMA diag)

HERLES, Frantisek, prof. dr.

Academician Pelnar -- chief of the clinic.. Some historical dates of
the II Internal Clinic in Prague, 1921-1942. Cas. lek. cesk. 101
no.47:394-400 23 N '62.
(BIOGRAPHIES) (SCHOOLS MEDICAL)
(INTERNAL MEDICINE)

CZECHOSLOVAKIA

HERLES, Z., and REINIS, F. [affiliation not given].

"Fourth World Congress of Cardiology in Mexico City"

Prague, Casopis Lekaru Ceskych, Vol CII, No 22, 31 May 63,
pp 609-613.

Abstract: Report on the Fourth World Congress of Cardiology in Mexico City, 7 to 13 October 1962. Czechoslovakia is member of the European Cardiological Society and the International Cardiological Society since their foundation. Czechoslovak delegation: Professors Z. HERLES, LUKL, and REINIS. The European cardiological congress will be held in Prague in 1964. Professor LUKL will be the chairman.

1/1

APPROVED FOR RELEASE: 08/10/2001
Prof. F. HERLES, MD, director.
Medicine (II. interni klinika), Faculty of General Medicine (Fakulta vseobecneho lekarstvi), Charles University, Prague, Prof.

"Chronic Bronchitis in Czechoslovakia"

Prague, Casopis Lekaru Ceskych, Vol CII, No 37, 13 September 63,
pp 1011-1015.

Abstract [Authors' English summary]: The 1960 morbidity statistics show that chronic bronchitis was the reason for 1 percent of all cases of short-term work incapacity in Czechoslovakia and for 1.74 percent of all working days missed. Ten percent of all disability benefits were granted on account of chronic bronchitis. Chronic bronchitis and its consequences were the cause of 5 percent of deaths. Two Prague pathology departments found chronic bronchitis as the cause of 28 percent of deaths. Among 710 patients admitted to a clinic chronic bronchitis was found in 31.1 percent of all cases. Eighteen references, including 17 Czech.

1/1

OUREDNIK, A.; HERLES, F.

Chronic bronchitis in Czechoslovakia. An attempt to re-evaluate the health status according to statistical data and findings.
Cas. lek. cesk. 102 no.37:1011-1015 13 S '63.

1. II interni klinika fakulty vseobecneho lekarstvi KU v Praze,
prednosta prof. dr. F. Herles.
(BRONCHITIS) (DISABILITY EVALUATION)
(HEALTH SURVEYS) (MORBIDITY)

HERLES, Francisek; JEDLICKA, Jaroslav; Technicka spoluprace: BERANKOVA, Alena

Effect of systole on the electrocardiogram. Contribution to the genesis of "functional" changes in the repolarization segment of the electrocardiogram. Acta Univ. Carol. [Med.] (Praha) 10 no.5:363-394 '64.

1. Kardiologicka laborator II. interni kliniky fakulty vseobecneho lekarstvi University Karlovy v Praze (prednosta prof. MUDr. Fr Herles, DrSc).

HERLES, F., prof. dr.

The mission of today's clinics and the tasks of the clinical teacher. Cas. lek. cesk. 104 no.14:373-375 9 Ap '65

1. II. interni klinika fakulty vseobecneho lekarstvi Karlovy University v Praze (prednosta: Prof. dr. F. Herles).

Internal Medicine

CZECHOSLOVAKIA

UDC 616.24-008.47-092

HERLES, F.; 2nd Internal Clinic, Faculty of General Medicine,
Charles University (II. Interni Klinika Fakulty Vseobecneho Le-
karstvi KU), Prague, Head (Prednosta) Prof Dr F. HERLES.

"Pathophysiological Basis of Dyspnea."

Prague, Casopis Lekaru Ceskych, Vol 105, No 35, 2 Sep 66, pp
930 - 933

Abstract [Author's English summary modified]: Dyspnea is a sub-
jective sensation which must be differentiated from objective
changes in respiration, although such phenomena usually run in
parallel. The degree of dyspnea is primarily a function of res-
piratory activity. Factors which determine respiratory activity
are evaluated; these factors are: elasticity of the lungs, pul-
monary resistance, and respiration rate. A simple pathogenic clas-
sification of dyspnea is presented; it may be used in differential
diagnosis. 4 Tables, no references. (Manuscript received Mar 66).

DAUM,S.; HERLES,F.

Relation of respiration to pulmonary circulation and heart function in chronic pulmonary heart disease caused by chronic bronchitis and pulmonary emphysema. Acta Univ.Carol. [med.] (Praga) 10: suppl. 17: 43-49 '63.

Pulmonary "capillary" hypertension in pulmonary heart disease due to pulmonary emphysema. Ibid. suppl. 17: 51-62 .

1. Kardiologicka laborator fakulty vseobecneho lekarstvi
University Karlovy v Praze; reditel: prof. dr. F.Herles, DrSc.

HERLES, F.

Chronic cor pulmonale - a health and research problem. Acta
Univ. Carol. [med.] (Praha) 10:suppl. 17:13-8 '63

1. II. interni klinika fakulty všeobecného lékařství Univer-
sity Karlovy v Praze (prednosta: prof. dr. F. Herles, DrSc.)

L 18824-65 EWT(d)/EWT(1)/EEC(k)-2/EEC-4/EWA(h) Po-4/Pq-4/Pg-4/Feb/Pk-4/

Pl-4 ESD(c)

ACCESSION NR: AP4041662

7/0039/64/025/007/C399/0402

AUTHOR: Herles, Vladimir (Gerles, V.) (Engineer)

TITLE: Simple passive transducers 25

SOURCE: Slaboproudny obzor, v. 25, no. 7, 1964, 399-402

TOPIC TAGS: simple passive transducer, quadratic function transducer, electrical measurement, effective voltage value, tensometer, bridge amplifier, power amplifier, voltage amplifier, real characteristic

ABSTRACT: Two simple quadratic function transducer designs are described which, because of their small size and economical operation without any auxiliary energy source, can be used for making electrical measurements, particularly in measuring the effective values of voltage, power at the ohmic load, dispersion, important errors, and of signals which have a simple characteristic (the realization of random processes). It was required to design a circuit for the rapid estimation of the mean values of the square of the voltage of a random process at the output of a tensometer. The bridge amplifier was to feed a peak voltage of $U = 0.5$ V given

Card 1/3

L 18824-65

ACCESSION NR: AP4041662

a current consumption of not greater than $I = 10$ mA, and the measurement error was not to exceed 3 to 5%. The design was to be as simple as possible, small in size, and to the extent possible, not require any external source of power. As these design principles would have required the use of a power amplifier, a design was theoretically worked out for a purely passive quadratic transducer which would prove sufficient with a simple voltage amplifier. In the course of the proving tests, however, it was found that even a simpler power supply, which does not require an amplifier, meets these requirements very well. Both variants, the passive functional transducer and the simple transducer, are described. The first of the diode functional transducer circuits described is the most universal and can be used for the approximation of certain nonquadratic functional relations. The theoretical design of the transducer for approximation with an assumed accuracy of 2% is given. It may be assumed, at the same time, that the real characteristic, through distortion of the real diode characteristics, could yield a better approximation. The required peak input voltage is $U = 10$ V and power consumption from the measured source $P = 30$ mW. The other circuit uses the natural curvature of the voltampere characteristic of germanium diodes. When the load resistance is properly chosen, the characteristic obtained approaches quadratic with an accuracy of 3%. The input voltage for total amplitude of the measurement instrument was

Card 2/3

L 18824-65

ACCESSION NR: AP4041662

U = 0.54 V and the required power $P = 0.11$ mW. As far as is known, this second variant has the lowest energy requirements of any known transducer designs and because of its simplicity is suitable in those cases where measurements with the indicated accuracy are satisfactory. Inasmuch as other semiconductor elements, (for example, the input circuit of a transistor) have a voltampere characteristic similar to diodes, this principle may be applied in the design of more complicated systems. Orig. art. has: 10 figures and 13 formulas.

ASSOCIATION: Ustav teorie informace a automatizace CSAV, Prague (Institute of Information Theory and Automation, Czechoslovak Academy of Sciences)

SUBMITTED: 28Jan64

ENCL: 00

SUB CODE: EE, EC

NO REF SOV: 000

OTHER: 003

Card 3/3

L 31585-66 EWT(d) IJP(c)

ACC NR: AP6022977

SOURCE CODE: CZ/0080/65/000/009/0228/0232

AUTHOR: Herles, Vladimir (Engineer)

ORG: Institute of Information Theory and Automation, CSAV (Ustav teorie informace a automatizace CSAV)

TITLE: Influence of limited observation time on accuracy in estimating the statistical characteristics of random processes

SOURCE: Automatizace, no. 9, 1965, 228-232

TOPIC TAGS: random process, statistics, error minimization, correlation function, distribution function

ABSTRACT: The article deals with determination of the observation time needed in order to keep errors within allowable limits in estimating the statistical characteristics of random processes -- the mean frequency (1), dispersion (2), correlation function (3), etc. The analysis is limited to stationary random processes where (1) and (2) are constant in time and (3) depends only on the difference $\tau = t_2 - t_1$. Orig. art. has: 6 figures, 29 formulas and 2 tables. [JPRS]

SUB CODE: 12 / SUBM DATE: none / ORIG REF: 001 / SOV REF: 005

OTH REF: 006

Cards 1/1

BLG

UDC: 519.2

0913

1062

L 21325-66 FSS-2
ACC NR: AP6010916 SOURCE CODE: CZ/0039/65/026/010/0601/0606
AUTHOR: Herles, Vladimir (Engineer) 23
ORG: Institute of Information Theory and Automation, CSAV, Prague (Ustav teorie 3
informace a automatizace CSAV)
TITLE: Estimating the statistical characteristics of a pseudo-telegraphic signal 4
SOURCE: Slaboproudý obzor, v. 26, no. 10, 1965, 601-606
TOPIC TAGS: telegraph signal, statistics, correlation function
ABSTRACT: A quantitative evaluation is presented of the influence of finite observa-
tion time on the accuracy of estimating certain statistical characteristics of a
random process representing a pseudo-telegraphic signal. In conclusion, some
experimentally measured estimates of correlation functions for various values of
integration time are stated. Orig. art. has: 7 figures and 37 formulas. [JPRS]
SUB CODE: 17, 12 / SUBM DATE: 05May65 / ORIG REF: 004 / SOV REF: 001

Card 1/1

UDC: 621.39.001

HERLESCU, T.

Category : RUMANIA/Atomic and Molecular Physics - Hort.

D-4

Abs Jour : Ref Zhur - Fizika, No 3, 1957, No 6279

Author : Herlescu, T.

Title : Conditions for Installation and Application of Pyrometers
in Enterprises

Orig Pub : Metrol. apl., 1956, 3, No 6, 17-20

Abstract : No abstract

Card : 1/1

HAJDU, I.; BERNATH, M.; HERLESCU, T.

Device for testing the fatigue under progressive load.
Studii tehn Timisoara 7 no.3/4:267-275 J1-D '60.

L 30722-66 EWP(w)/EWP(v)/T/EWP(t)/ETI/EWP(k)/EWP(h)/EWP(l) JD

ACC NR: AP6022120

SOURCE CODE: RU/0018/65/000/009/0515/0520

AUTHOR: Herlescu, Tiberiu

ORG: none

TITLE: Contribution to the analysis of errors concerning the determination of fatigue strength with rotating flexion machines

SOURCE: Constructia de masini, no. 9, 1965, 515-520

TOPIC TAGS: fatigue strength, error minimization, metallurgic testing machine

ABSTRACT: The operation of rotating flexion machines used for fatigue strength determinations is analyzed, and the methods of keeping errors of such machines within one percent are discussed. Both theoretical and experimental considerations are included in the analysis. Orig. art. has: 9 figures and 2 formulas. [Based on author's Eng. abst.] [JPRS]

SUB CODE: 13, 11 / SUBM DATE: none / ORIG REF: 006 / SOV REF: 001
OTH REF: 003

Card 1/1

UDC: 620.178.3.05:621.791

HERLESOVA, J.

CSSR

no academic degree indicated

I. stomatological clinic of the faculty of general medicine, Charles University
(I. stomatologická klinika fakulty všeobecného lékařství Karlovy University),
Prague, director: docent J. TOMAN, MD, CSc

Prague, Československá Stomatologie, No 6, 1962, pp 420-424

"Odontoblasts in the Pulp of Deciduous and Permanent Teeth in Children"

GERLIKOVA,

CZECHOSLOVAKIA/Chemical Technology - Fermentation Industry.

H.

Abs Jour : Ref Zhur - Khimiya, No 16, 1958, 55473

Author : Dyr, Gerlikova

Inst : -

Title : Binding of oxygen in the Process of Wort Preparation.

Orig Pub : Kvasny prumysl, 1957, 3, No 12, 265-269

Abstract : It was established that a wort of high concentration (18 weight percent) consumes more oxygen than does one of a lower concentration (7 weight percent), whereby this process is more intensive on sprinkling coolers. The oxidation ability of wort is usually decreased by its heating with hops and a reduction ability is thereby increased, and then diminishes upon cooling. The separation of residue on the cooling plates depends on the duration of wort digestion. When the latter is increased, 6-9% more of protein substances is separated.

Card 1/2

/b

HERLIKVA, G.

COUNTRY : Czechoslovakia
CATEGORY :

n-27

ABS. JOUR. : RZKhim., No. 15 1959, No.

55766

AUTHOR :
INVT. :
TITLE :

The Role of Oxygen and of Carbonic Acid in the Final Stages of Beer Production

ORIG. PUB. : Kvasny Prumysl. 5, No 2, 55-61 (1959)

ABSTRACT : The authors discuss the effect of the content of air and CO₂ in the beer and of the pressure in the bottles on the stability of the beer, on the pH, and the pH. When the beer is filled with prevention of CO₂ loss, its stability increases by three days: filling with partial prevention of CO₂ loss increases the stability of the beer by one day. The introduction of automatic shakers during the filling of the beer is recommended at small plants for the improvement of

COUNTRY : Czechoslovakia
CATEGORY :

n-27

ABS. JOUR. : RZKhim., No. 15 1959, No.

55766

AUTHOR :
INVT. :
TITLE :

ORIG. PUB. :

ABSTRACT : beer stability. The possibility of the utilization of the CO₂ produced by the fermentation of the beer is discussed, and equipment for the recovery of the CO₂ is described.
A. Yemel'yanov

CARD:

HERLIKOVA, G.; HLAVACEK, I.

Works of the Pilsen Breweries on a study trip in the USSR. p. 181.

KRIDLA VLASTI. (Svaz pro spolupraci s armadou)
Praha, Czechoslovakia
Vol. 5, no. 8, Aug. 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, no. 11.
Nov. 1959
Uncl.

HERIKOVA, G.; SEFRT, V.

Preliminary results of the analysis of the barley of the 1959 crop. p. 231.

KVASNY PRUMSYL. Praha, Czechoslovakia. Vol. 5, no. 10, Oct. 1959.

Monthly List of East European Accessions (EEAI), IC, Vol. 9, no. 2, Feb. 1960.
Uncl.

HERLIKOVA, G., inz.; KOPECKY

The 5th Seminar on Brewing and Malting in Plzen. Kvasny prum
9 no.1:9-10 Ja '63.

Plzeňský pivovar, Pilsen

Průběh in beer stabilization methods. Kvasný pram 10
no. 183-8 Ja'64.

1. Plzeňské pivovary, n.p., Pilsen.

HERLIKOVA-BASAROVA, Gabriela

Control of detergent solutions. Kvasny prum 10 no.4:76-78
Ap '64.

1. Plzenske pivovary National Enterprise, Plzen.

CASANDROIU, Tudor (Bucuresti); STANCIU, A., prof. (Braila); IONESCU-TIU, C.;
VOICULESCU, Dan (Bucuresti); SIMIONESCU, Gh. D.; STRATESCU, Ion
(Bucuresti); HERLING, C. (Bucuresti); PIRSAN, Liviu (Bucuresti);
TOMESCU, Ioan (Bucuresti); GRIGORESCU, Serban, I.; LIVIU, Petre, prof.
(Tirgoviste); DANCILA, Ion (Sibiu); DUMITRU, Acu (Cluj); POPA, E.
(Iasi); SANDULACHE, C., prof. (Negresti, Iasi); TUDOR, C.N. (Bucuresti)

Proposed problems. Gaz mat B 16 no.3:129-133 Mr '65.

HERLING, C. (Bucuresti); HORISTE, Constantin; DRAGOTI, Stefan (Slatina);
 Pirsan, Liviu (Bucuresti); BERDAN, C.; IONESCU-TIU, C.; IONESCU,
 Florica H. (Bucuresti); FILIPCIU, Al. (Buzau); GEORGESCU, George
 (Bucuresti); SANDULACHE, C., prof. (Negresti, Iasi); KURTUN, I.;
 SCHNEFFEL, Gabriela (Cluj); TEODORESCU, I. prof. (Galati);
 SIGLOVAN, I. (Petrosani); AGH, Dumitru (Cluj); GRESU, Estimie
 (Bucuresti); PAUN, N., prof. (Rimnicu Vilcea); GHEORGHIU, Adrian
 (Bucuresti); DUMITREASA, E., prof. (Cluj); GEORGESCU, Corneliu
 (Craiova); BOBANCI, V. (Bucuresti); BANESCU, Grigore, prof.
 (Cimpina); CPREA, Gh. (Filiesti); POPESCU, Ioan M. Bucuresti);
 Serb, Ion (Iugoj)

Proposed problems. Gaz mat B 16 no.4:172-177 Ap '65.

FLORIAN, Petru, prof. (Dej); MARUSTERU, St., (Baia Mare); HERLING, C., student; PIRSAN, L.C., student (Bucuresti); IONESCU-TIU, C.; COSTACHESCU, C.V.; LAMBA, Stelian (Constanta); LIVIU, Petre (Pucioasa); STRATESCU, Ion, student; BRINZANESCU, V., elev (Constanta); KLIM, Bratu, student (Bucuresti); TEMPEANU, C. (Hunedorara); CALINESCU, Aurelian (Brasov); MUNTEANU, Valentin (Cluj); OPREA, Miron (Ploiesti); MIHAILEANU, N.; TIGANOIU, Al., inginer; Buicliu, Gh.; POPA, Eugen I. (Iasi)

Proposed problems. Gaz mat B 14 no.8:481-485 Ag '63.

1. Institutul Politehnic Bucuresti (for Herling).

HENNING, G.

An application of vectorial calculus to a tetrahedron. *Publ. Mat. B*
16 no.1:10-12,13 Ja '65.

1. Faculty of Industrial Chemistry, Polytechnic Institute, Bucharest.

HERLINGER, Ivo, dr., Sarajevo

On modern bronchology. Med. arh., Sarajevo 8 no.2:9-14 Mar-Apr 54.
(BRONCHI, radiography)
(BRONCHOSCOPY)

HERLINGER, Ivo.

HERLINGER, Ivo, prof. dr.

Fresh corrosion s of the esophagus in children and their therapy. Med. glasn. 8 no.2:55-57 P '54.

1. Klinika za bolesti uha, nosa i grla Medicinskog fakulteta u Sarajevu (sef prof. dr. Z.Prastalo)
(ESOPHAGUS, stenosis
*caustic, in child., ther.)

HERLINGER, Ivo, prof. dr.

Diagnostic and therapeutic use of bronchoscopy. Med.glasn. 9
no.2-3:71-74 Feb-Mar '55.

1. Otolaringoloska klinika Medicinskog fakulteta u Sarajevu
(upravnik prof. dr Z.Prastalo)
(BRONCHOSCOPY,
diag. & ther.use)

HERLINGER, Ivo, Prof., dr.

Histologic study of esophageal corrosions after treatment with antibiotics and cortisone. Med. arh., Sarajevo 9 no.5:1-8 Sept-Oct 55.

1. (Otorinolaringoloska klinika Med. fakulteta u Sarajevu, sef: prof. Prastalo).

(ESOPHAGUS, stenosis

corrosive, ther., penicillin alone & with cortisone in dogs, histol. (Ser))

(PENICILLIN, ther. use,

corrosive stenosis of esophagus in dogs, alone & with cortisone, histol. (Ser))

(CORTISONE, ther. use

corrosive stenosis of esophagus in dogs, alone & with penicillin, histol. (Ser))

1957-1958, 1959-1960, 1961-1962, 1963-1964, 1965-1966, 1967-1968, 1969-1970, 1971-1972, 1973-1974, 1975-1976, 1977-1978, 1979-1980, 1981-1982, 1983-1984, 1985-1986, 1987-1988, 1989-1990, 1991-1992, 1993-1994, 1995-1996, 1997-1998, 1999-2000, 2001-2002, 2003-2004, 2005-2006, 2007-2008, 2009-2010, 2011-2012, 2013-2014, 2015-2016, 2017-2018, 2019-2020, 2021-2022, 2023-2024, 2025-2026, 2027-2028, 2029-2030, 2031-2032, 2033-2034, 2035-2036, 2037-2038, 2039-2040, 2041-2042, 2043-2044, 2045-2046, 2047-2048, 2049-2050, 2051-2052, 2053-2054, 2055-2056, 2057-2058, 2059-2060, 2061-2062, 2063-2064, 2065-2066, 2067-2068, 2069-2070, 2071-2072, 2073-2074, 2075-2076, 2077-2078, 2079-2080, 2081-2082, 2083-2084, 2085-2086, 2087-2088, 2089-2090, 2091-2092, 2093-2094, 2095-2096, 2097-2098, 2099-2100, 2101-2102, 2103-2104, 2105-2106, 2107-2108, 2109-2110, 2111-2112, 2113-2114, 2115-2116, 2117-2118, 2119-2120, 2121-2122, 2123-2124, 2125-2126, 2127-2128, 2129-2130, 2131-2132, 2133-2134, 2135-2136, 2137-2138, 2139-2140, 2141-2142, 2143-2144, 2145-2146, 2147-2148, 2149-2150, 2151-2152, 2153-2154, 2155-2156, 2157-2158, 2159-2160, 2161-2162, 2163-2164, 2165-2166, 2167-2168, 2169-2170, 2171-2172, 2173-2174, 2175-2176, 2177-2178, 2179-2180, 2181-2182, 2183-2184, 2185-2186, 2187-2188, 2189-2190, 2191-2192, 2193-2194, 2195-2196, 2197-2198, 2199-2200, 2201-2202, 2203-2204, 2205-2206, 2207-2208, 2209-2210, 2211-2212, 2213-2214, 2215-2216, 2217-2218, 2219-2220, 2221-2222, 2223-2224, 2225-2226, 2227-2228, 2229-2230, 2231-2232, 2233-2234, 2235-2236, 2237-2238, 2239-2240, 2241-2242, 2243-2244, 2245-2246, 2247-2248, 2249-2250, 2251-2252, 2253-2254, 2255-2256, 2257-2258, 2259-2260, 2261-2262, 2263-2264, 2265-2266, 2267-2268, 2269-2270, 2271-2272, 2273-2274, 2275-2276, 2277-2278, 2279-2280, 2281-2282, 2283-2284, 2285-2286, 2287-2288, 2289-2290, 2291-2292, 2293-2294, 2295-2296, 2297-2298, 2299-2300, 2301-2302, 2303-2304, 2305-2306, 2307-2308, 2309-2310, 2311-2312, 2313-2314, 2315-2316, 2317-2318, 2319-2320, 2321-2322, 2323-2324, 2325-2326, 2327-2328, 2329-2330, 2331-2332, 2333-2334, 2335-2336, 2337-2338, 2339-2340, 2341-2342, 2343-2344, 2345-2346, 2347-2348, 2349-2350, 2351-2352, 2353-2354, 2355-2356, 2357-2358, 2359-2360, 2361-2362, 2363-2364, 2365-2366, 2367-2368, 2369-2370, 2371-2372, 2373-2374, 2375-2376, 2377-2378, 2379-2380, 2381-2382, 2383-2384, 2385-2386, 2387-2388, 2389-2390, 2391-2392, 2393-2394, 2395-2396, 2397-2398, 2399-2400, 2401-2402, 2403-2404, 2405-2406, 2407-2408, 2409-2410, 2411-2412, 2413-2414, 2415-2416, 2417-2418, 2419-2420, 2421-2422, 2423-2424, 2425-2426, 2427-2428, 2429-2430, 2431-2432, 2433-2434, 2435-2436, 2437-2438, 2439-2440, 2441-2442, 2443-2444, 2445-2446, 2447-2448, 2449-2450, 2451-2452, 2453-2454, 2455-2456, 2457-2458, 2459-2460, 2461-2462, 2463-2464, 2465-2466, 2467-2468, 2469-2470, 2471-2472, 2473-2474, 2475-2476, 2477-2478, 2479-2480, 2481-2482, 2483-2484, 2485-2486, 2487-2488, 2489-2490, 2491-2492, 2493-2494, 2495-2496, 2497-2498, 2499-2500, 2501-2502, 2503-2504, 2505-2506, 2507-2508, 2509-2510, 2511-2512, 2513-2514, 2515-2516, 2517-2518, 2519-2520, 2521-2522, 2523-2524, 2525-2526, 2527-2528, 2529-2530, 2531-2532, 2533-2534, 2535-2536, 2537-2538, 2539-2540, 2541-2542, 2543-2544, 2545-2546, 2547-2548, 2549-2550, 2551-2552, 2553-2554, 2555-2556, 2557-2558, 2559-2560, 2561-2562, 2563-2564, 2565-2566, 2567-2568, 2569-2570, 2571-2572, 2573-2574, 2575-2576, 2577-2578, 2579-2580, 2581-2582, 2583-2584, 2585-2586, 2587-2588, 2589-2590, 2591-2592, 2593-2594, 2595-2596, 2597-2598, 2599-2600, 2601-2602, 2603-2604, 2605-2606, 2607-2608, 2609-2610, 2611-2612, 2613-2614, 2615-2616, 2617-2618, 2619-2620, 2621-2622, 2623-2624, 2625-2626, 2627-2628, 2629-2630, 2631-2632, 2633-2634, 2635-2636, 2637-2638, 2639-2640, 2641-2642, 2643-2644, 2645-2646, 2647-2648, 2649-2650, 2651-2652, 2653-2654, 2655-2656, 2657-2658, 2659-2660, 2661-2662, 2663-2664, 2665-2666, 2667-2668, 2669-2670, 2671-2672, 2673-2674, 2675-2676, 2677-2678, 2679-2680, 2681-2682, 2683-2684, 2685-2686, 2687-2688, 2689-2690, 2691-2692, 2693-2694, 2695-2696, 2697-2698, 2699-2700, 27

9. "Bad Habits" - pp. 7-8.
10. "Infections" - pp. 9-10.
11. "Our Popular Medicine" - pp. 11-12.
12. "Early Inspection of Food" - pp. 13-14.
13. "Cautious Treatment" - pp. 15-16.

1/1

ZEC, Risto, dr.; HERLINGER, Ivo

Recurrent pneumonias caused by bronchial occlusions. Med. arh. 15
no.3:143-146 My-Je '61.

1. II interna klinika Medicinskog fakulteta u Sarajevu (Sef: prof.
dr Miron Simic) Otolaringolcska klinika Medicinskog fakulteta u
Sarajevu (Sef: prof. dr Zarko Prastalo).
(PNEUMONIA etiol)

HERLINGER, I.

Reform of medical studies and specialization. Bul sc Youg 7
no.6:169 D '62.

1. Medicinski fakultet, Sarajevo.